



## Corrigendum

## Corrigendum to: “Different proportion of mantle-derived noble gases in the Cu–Fe and Fe skarn deposits: He–Ar isotopic constraint in the Edong district, Eastern China” Ore Geol. Rev. 72 (2016) 343–354




Guiqing Xie<sup>a,\*</sup>, Jingwen Mao<sup>a</sup>, Wei Li<sup>a</sup>, Qiaoqiao Zhu<sup>a</sup>, Hanbin Liu<sup>b</sup>, Guohao Jia<sup>c</sup>, Yanhe Li<sup>a</sup>, Junjie Li<sup>b</sup>, Jia Zhang<sup>b</sup>

<sup>a</sup> MLR Key Laboratory of Metallogeny and Mineral Assessment, Institute of Mineral Resources, Chinese Academy of Geological Sciences, Beijing 100037, China

<sup>b</sup> Beijing Research Institute of Uranium Geology, China National Nuclear Corporation, Beijing 100029, China

<sup>c</sup> Institute of Geochemistry, Chinese Academy of Sciences, Guiyang 550002, China

The original version of this article unfortunately contained a mistake in the Fig. 7 caption. The corrected caption for Fig. 7 is given below. The authors would like to apologize for any inconvenience caused.



**Fig. 7.** Nd and Sr isotopic variation diagram for Late Mesozoic intrusions associated with the selected Cu–Fe and Fe skarn deposits in the Edong ore district, MLYRB. AFC: assimilation–fractional crystallization.

Modified from Xie et al. (2015) and references therein.

DOI of original article: <http://dx.doi.org/10.1016/j.oregeorev.2015.08.004>.

\* Corresponding author at: MLR Key Laboratory of Metallogeny and Mineral Assessment, Institute of Mineral Resources, Chinese Academy of Geological Sciences, No. 26 Baiwanzhuang Road, Beijing 100037, China.

E-mail address: [xieguiqing@cags.ac.cn](mailto:xieguiqing@cags.ac.cn) (G. Xie).